

# Yellow-Fleshed Peach Varieties for New Jersey

Fact Sheet 1072



## Cooperative Extension

*Jerome L. Frecon, Agricultural Agent I  
and*

*Dan Ward, Assistant Specialist in Pomology*

Yellow-fleshed peaches have the same range of ripening and fruit characteristics as white-fleshed peaches. These suggested varieties are listed by season of ripening in southern New Jersey. Dates of ripening may be slightly later in central and northern areas of the state.

Read fact sheets on White-Fleshed Peach Varieties for New Jersey, Flat Peach Varieties for New Jersey and Nectarine Varieties for New Jersey for additional varietal information.

### June Maturity

**Queencrest** – A medium to small, globose to ovate, 70-80% scarlet red over a greenish-yellow groundcolor, yellow-fleshed, clingstone peach ripening June 28-29, approximately 27 days before Redhaven. The flesh is firm to very firm and of fair flavor. The tree is vigorous, moderately productive with medium susceptibility to bacterial spot. An attractive firm-fleshed peach that will produce some split pits.

**Sunbrite** – A medium to small, ovate, 40-50% bright scarlet red over orange-yellow groundcolor, yellow-fleshed, clingstone peach ripening June 30-July 1, approximately 26 days before Redhaven. The flesh is firm with fair to good flavor. The tree is vigorous and moderately productive with low susceptibility to bacterial spot. Sunbrite is an attractive peach that will produce some split pits.

**Desiree™ NJ 350** – A medium, globose to slightly ovate, 70-90% crimson red over yellow-red groundcolor, yellow-fleshed clingstone peach ripening June 30-July 1, approximately 26 days before Redhaven. The flesh is firm with fair to good flavor. The tree is vigorous, and productive with low susceptibility to bacterial spot. Our evaluation is based on young trees.

### July Maturity

**Spring Prince** – A medium to small, globose to slightly ovate, 60-80% scarlet red over a yellow ground color, yellow-fleshed clingstone peach ripening 6 days after Queencrest or on July 2-3, approximately 23 days before Redhaven. The flesh is firm with fair to good flavor and few split pits. The tree is vigorous, and moderately productive with low susceptibility to bacterial spot. Evaluation is based on young trees

**Empress** – A medium, globose, 70-90% bright red-skinned over yellow groundcolor; yellow-fleshed clingstone peach ripening after Sunbrite, July 2-4, approximately 23 days before Redhaven. Empress has very firm flesh with good flavor. The tree is moderately vigorous, and moderately productive with low susceptibility to bacterial spot. This attractive peach has not been consistently productive and produces some split pits.

**Spring Flame™ (Burchell D2.102)** – A medium, globose, complete scarlet red over light red groundcolor, yellow-fleshed clingstone peach ripening July 2-4, approximately 23 days before Redhaven. Fruit size is very good for this season with mostly 2 ½ inch fruit. The flesh is very firm with good flavor, better than most very early varieties, the flesh is very firm and semi-clingstone. The tree is vigorous, moderately productive, with high susceptibility to bacterial spot.

#### Suggestions for Home Orchard Plantings:

**Flaming Fury® PF #5B,  
Harrow Diamond,  
Redhaven, Early Loring,  
Harrow Beauty, Loring,  
Redkist, Madison, Encore**

**RUTGERS**

New Jersey Agricultural  
Experiment Station

Rutgers, The State University of New Jersey  
88 Lipman Drive, New Brunswick, NJ 08901-8525  
Phone: 732.932.5000

**Flamin Fury® PF#5B** – A medium to small, globose to ovate, 70-80% scarlet red over greenish yellow, yellow-fleshed, clingstone peach ripening July 2-4, approximately 23 days before Redhaven. The flesh is firm with fair to good flavor. The tree is vigorous and very productive, with low susceptibility to bacterial spot. This variety is always a challenge to get acceptable size and will produce some split pits, but is very attractive and firm.

**Harrow Diamond** – A medium to medium-large, globose, 40-60% scarlet red over a greenish yellow groundcolor, yellow-fleshed, clingstone peach ripening July 7-8, approximately 19 days before Redhaven. The flesh is moderately firm with very good flavor. Tree is vigorous and productive, with low susceptibility to bacterial spot. Harrow Diamond is suggested for home orchard plantings in this season because of its productivity and good early flavor and size.

**Ruby Prince** – A medium-large, globose, attractive, 80-90% scarlet red over yellow groundcolor, semi-clingstone, yellow-fleshed, peach ripening July 11-12, approximately 15 days before Redhaven. The flesh is firm and with good flavor. The tree is vigorous, and moderately productive with low susceptibility to bacterial spot. This attractive variety has not been regularly productive.

**Harrow Dawn** – A medium-large, globose, 50-60% scarlet red over yellow-green groundcolor, yellow-fleshed, semi-clingstone variety ripening July 10-13, approximately 14 days before Redhaven. The flesh is moderately firm with very good flavor. The tree is vigorous and very productive, with low susceptibility to bacterial spot. An acceptable peach with very good flavor and size, with very few split pits.

**Sentry** – A medium-large to large, globose, 60-70% scarlet red over green-yellow groundcolor, semi-clingstone peach ripening July 10-15, approximately 14 days before Redhaven. Flesh is moderately firm with good flavor. Tree is vigorous, spreading, and moderately productive, with low susceptibility to bacterial spot. Fruit has a variable cropping record.

**Glenglo** – (PICTURED FRONT LEFT) A medium-large, globose, 60-80% scarlet red over a yellow groundcolor, yellow-fleshed semi-clingstone peach ripening July 11-14, approximately 13 days before Redhaven. The flesh is firm with good flavor. The tree is vigorous, spreading, and productive, with low susceptibility to bacterial spot. Glenglo is an attractive peach to replace Sentry.

**Flamin Fury® PF# 7** – A medium, ovate to globose, 60-70% complete crimson red over a greenish-yellow ground color, semi-clingstone, yellow-fleshed, peach ripening on July 12-15, approximately 12 days before Redhaven. The tree is vigorous, upright spreading, and very productive with low susceptibility to bacterial spot. This is a red peach with good productivity, but Glen Glo and Sentry have better size.

**Summer Serenade** – A medium-large, globose to ovate, attractive, 50-70% crimson red over yellow-green groundcolor, yellow-fleshed, semi-clingstone peach ripening from July 13-16, approximately 11 days before Redhaven. The flesh is firm with fair to good flavor. The tree is moderately vigorous and productive, with low susceptibility to bacterial spot. Summer Serenade has better size than Garnet Beauty.

**Vulcan** – A medium to large, globose to slightly ovate, 40-70% scarlet-orange-red over greenish yellow groundcolor, golden

yellow-fleshed clingstone peach ripening on July 14-17, approximately 10 days before Redhaven. The fruit is firm with dense, non-melting flesh, and a good sweet and spicy flavor. The trees are spreading, very vigorous, and productive with low susceptibility to bacterial spot. A promising variety for processing in this early season.

**GaLa** – A medium to medium-large, globose, 70-90% scarlet red over yellow-orange groundcolor, yellow-fleshed, semi-freestone. GaLa ripens in a season between Sentry and Redhaven July 17-21, approximately 8 days before Redhaven. The flesh is firm, with good flavor. The tree is spreading upright, vigorous, and moderately productive with medium susceptibility to bacterial spot. GaLa is a beautiful peach in a great season but is a challenge to size.

**Flavorcrest** – A medium-large, ovate, 70-90% dark crimson red over a yellow groundcolor, semi-freestone peach ripening from July 17-21, approximately 7 days before Redhaven. The flesh is very firm with very good flavor. The tree is vigorous and moderately to lightly productive, with high susceptibility to bacterial spot. An attractive peach with too much bacterial spot.

**Vinegold** – A large, globose 30-50% scarlet red over orange yellow groundcolor; golden yellow-fleshed, clingstone ripening July 18-24, approximately 4 days before Redhaven. The flesh is dense, non-melting, no red in pit with a very good, sweet and spicy flavor. The trees are upright spreading, very vigorous, and productive, with low susceptibility to bacterial spot. The peach has great size and flavor for this early season.

**Redhaven** – Still the standard of yellow-fleshed, semi-freestone peaches in this season. A medium-large, globose to slightly ovate, 50-70% scarlet red over greenish-yellow groundcolor, yellow-fleshed, semi-freestone peach ripening from July 23-26. The flesh is firm with good flavor. The tree is vigorous and very productive, with low susceptibility to bacterial spot. It is also suggested for home orchard plantings.

**Flamin Fury® PF Lucky 12** – A large, globose to slightly ovate, 60-90% scarlet red over an orange-yellow groundcolor, yellow-fleshed, semi-freestone peach ripening from July 23-26, with Redhaven. The flesh is firm and of good flavor. The tree is vigorous, spreading, and productive with low susceptibility to bacterial spot. The peach is very similar to PF Lucky 13 but a few days earlier.

**Early Loring** – A medium to medium-large, slightly ovate to globose, attractive, 60-80% scarlet red over greenish yellow groundcolor, yellow-fleshed, semi-freestone peach ripening July 24-27, approximately 1 day after Redhaven. The flesh is firm with very good flavor. The tree is vigorous and productive, with medium susceptibility to bacterial spot.

**Redstar** – A medium-to medium-large, globose, 50-70% scarlet orange-red over greenish-yellow groundcolor, yellow-fleshed, semi-freestone peach ripening July 24-27, approximately 1 day after Redhaven. The flesh is firm with good flavor. The tree is vigorous and productive, with low susceptibility to bacterial spot. This peach must be thinned hard and early to get 2½ inch peaches.

**Flamin Fury® PF 15A** – A medium large, globose, 70-80% crimson red over slight greenish-yellow groundcolor, yellow-fleshed, freestone peach ripening July 24- 27, approximately 1

day after Redhaven. The flesh is firm with good flavor. The tree is vigorous and very productive, with low susceptibility to bacterial spot. This attractive peach produces better fruit size as tree gets older.

**Flamin Fury® PF Lucky 13** – A large, globose to slightly ovate, 70-90% scarlet red over orange-yellow groundcolor, yellow-fleshed, freestone peach ripening July 27-30, approximately 3 days after Redhaven. The flesh is firm to very firm with good flavor. The tree is vigorous, and productive, with low susceptibility to bacterial spot. This very attractive peach has also shown good size.

**John Boy** – A large, globose, 60-80% bright crimson red over a yellow-green groundcolor, yellow-fleshed, semi-freestone peach ripening July 28-31, approximately 3 days after Redhaven. The flesh is firm with good flavor. Tree is similar to Loring being very vigorous but more productive, with medium susceptibility to bacterial spot. John Boy is the standard all around commercial variety in this season in New Jersey.

**Blazingstar** – A medium-large, globose, 50-70% bright scarlet red over orange-yellow groundcolor, yellow fleshed, freestone peach ripening July 29 to August 1, approximately 4 days after Redhaven. Some fruit have raised sutures. The flesh is moderately firm with very good flavor. The tree is vigorous, and productive, with low susceptibility to bacterial spot. An attractive peach that is not as firm-fleshed as other varieties in this season.

**Flamin Fury® PF 14 Jersey** – A medium-large sized, globose to ovate, 50-80% crimson red over a greenish-yellow groundcolor, freestone peach ripening from July 29 to August 2, approximately 5 days after Redhaven. The flesh is firm and of good flavor. The tree is vigorous, spreading, and productive, with low susceptibility to bacterial spot. This peach was formerly released as PF 15.

## August Maturity

**Starfire** – A medium to medium-large, globose, attractive, 60-80% scarlet orange-red over yellow groundcolor, yellow fleshed, freestone peach ripening August 1-4, approximately 5 days after Redhaven. The flesh is firm with very good flavor. The tree is vigorous and productive, with low susceptibility to bacterial spot. Starfire must be thinned early to get mostly 2 ½ inch and up fruit size.

**Late Sunhaven** – A large, globose, attractive, 50-70% scarlet red over yellow groundcolor, semi-freestone yellow-fleshed peach ripening from July 30 to August 3, approximately 5 days after Redhaven. The flesh is firm with good flavor. The tree is of medium vigor and moderately to lightly productive, with medium susceptibility to bacterial spot. An old favorite to extend the Redhaven season sometimes called Redhaven Special.

**Salem** – A large, globose, 60-70% crimson red with a greenish yellow groundcolor, yellow-fleshed, freestone peach, ripening August 2-5, approximately 6 days after Redhaven. The flesh is firm with very good flavor. The tree is vigorous and moderately productive with medium susceptibility to bacterial spot. Salem, like its parent Loring, is moderately winter hardy.

**Blaze Prince** – A medium-large, attractive, 80-90% crimson red over yellow groundcolor, yellow-fleshed, freestone peach ripening August 4-7, approximately 8 days after Redhaven. The flesh is firm with excellent flavor. The tree is vigorous, spreading,

and productive with low susceptibility to bacterial spot. This is a promising peach for this season.

**Coralstar** – A large, globose, attractive, 60-80% orange-scarlet red over orange-yellow groundcolor, yellow fleshed, freestone peach ripening August 5-8, approximately 10 days after Redhaven. The flesh is firm with very good flavor. The tree is moderately vigorous and productive, with low susceptibility to bacterial spot. This attractive peach with good size is the best in this season of maturity.

**Flamin Fury® PF 17** – A medium-large to large, ovate to globose, 55-70% crimson red over yellow-green groundcolor, yellow-fleshed, freestone peach ripening August 6-9, approximately 12 days after Redhaven. The flesh is firm with good flavor. The tree is vigorous and productive, with medium susceptibility to bacterial spot. The size of the fruit improves as trees age.

**Bounty** – A large to very large, globose, 40-70% crimson red over light greenish-yellow groundcolor, yellow-fleshed, freestone peach, ripening August 6-9, approximately 12 days after Redhaven. The flesh is firm with very good flavor. The tree is vigorous, spreading, and productive with medium susceptibility to bacterial spot. This is the standard in this season because of its size and flavor.

**Harrow Fair** – A large, ovate to globose, 40-60%, scarlet red over yellow-green groundcolor, yellow-fleshed, freestone peach ripening August 6-9, approximately 12 days after Redhaven. The flesh is moderately firm with very good flavor. The tree is vigorous, and very productive with low susceptibility to bacterial spot. The flesh lacks the necessary firmness of a good commercial variety.

**Loring** – A large to very large, ovate to globose, 40-60% scarlet red over yellow groundcolor yellow-fleshed, freestone peach ripening August 7-10, approximately 13 days after Redhaven. The flesh is firm and of very good flavor. The tree is very vigorous and moderately productive, with medium susceptibility to bacterial spot.

**Flamin Fury® PF 19-007** – A large to very large, ovate to globose, 70-90 scarlet red over yellow groundcolor, yellow-fleshed, freestone ripening from August 8-11, approximately 15 days after Redhaven. The flesh is firm with very good flavor. The tree is vigorous and productive with low susceptibility to bacterial spot.

**Harrow Beauty** – A medium, globose, very attractive, 60-90% bright crimson red over golden yellow groundcolor, yellow-fleshed, freestone peach ripening, August 8-11, approximately 15 days after Redhaven. The flesh is firm with very good flavor. The tree is moderately vigorous, somewhat willowy and very productive, with low susceptibility to bacterial spot. This attractive but difficult to size variety is also suggested for home orchard plantings.

**Flamin Fury® PF 20-007** – A large, globose to slightly ovate, 60-80 % crimson red over a yellow-green groundcolor, yellow-fleshed, freestone peach ripening August 8-11, approximately 15 days after Redhaven. The flesh is moderately firm with good flavor. The tree is vigorous, spreading, and productive with low susceptibility to bacterial spot. This variety does not retain its firmness well on the tree.

**Suncrest** – A medium-large, ovate to slightly globose, 60-80% scarlet red over yellow groundcolor, yellow-fleshed, freestone peach ripening August 12-14, approximately 17 days after Redhaven. The flesh is firm to very firm with very good flavor. The tree is vigorous, moderately productive with high susceptibility to bacterial spot. The productivity and susceptibility to bacterial spot have always limited planting in New Jersey.

**Flamin Fury® PF#23 – (PICTURED FRONT RIGHT)** A medium-large, globose, 70-80% crimson red over a greenish yellow to yellow groundcolor, yellow-fleshed, freestone peach ripening August 12-14, approximately 18 days after Redhaven. The flesh is firm to very firm with very good flavor. The tree is vigorous and productive, with medium susceptibility to bacterial spot. This attractive peach retains its firmness well at maturity.

**Contender** – A medium large to large sized, globose, 70-90% crimson red over a scarlet yellow groundcolor, yellow-fleshed, freestone peach ripening from August 12-14, approximately 18 days after Redhaven. The flesh is firm with very good flavor. The tree is vigorous and very productive, with low susceptibility to bacterial spot. This is an attractive and productive variety.

**Allstar** – A medium-large, globose, 70–80% scarlet red over a reddish yellow groundcolor; yellow-fleshed, freestone peach ripening from August 13-16, approximately 19 days after Redhaven. The flesh is firm with good quality. The tree is vigorous, and productive, with low susceptibility to bacterial spot. This is an attractive peach.

**Flamin Fury® PF#24-007** – A very large, ovate to globose, 40-60% scarlet red over a greenish yellow groundcolor, freestone peach ripening August 13-16, approximately 19 days after Redhaven. The flesh is firm with very good flavor. The tree is vigorous and moderately productive, with medium susceptibility to bacterial spot. This very large sized peach is often harvested too early before it has maximum flavor and color.

**Redkist** – A medium to medium-large, globose, 50-60% crimson red over yellow-green groundcolor, yellow-fleshed, freestone peach ripening August 15-18, approximately 21 days after Redhaven. The flesh is firm with very good flavor. The tree is vigorous, willowy, and very productive, with low susceptibility to bacterial spot. This variety is suggested for home orchard plantings.

**Glowingstar** – A medium-large, globose, attractive, 60-70% orange scarlet red over a greenish-yellow groundcolor, yellow-fleshed, freestone peach ripening August 15-18, approximately 21 days after Redhaven. The flesh is firm with good flavor. The tree is vigorous, spreading, and productive, with low susceptibility to bacterial spot. A nice peach in a season with many good varieties.

**Scarlet Prince** – A medium-large, globose, 70-90% scarlet red over greenish yellow groundcolor, yellow-fleshed, freestone peach ripening August 15-18, approximately 21 days after Redhaven. The flesh is firm to very firm with very good flavor. The tree is vigorous, and productive with low susceptibility to bacterial spot. An attractive peach with great firmness.

**Madison** – A medium, globose, 40-60% crimson red over a yellowish green groundcolor, yellow-fleshed, freestone peach ripening August 19-22, approximately 25 days after Redhaven.

The flesh is moderately firm with excellent flavor. The tree is vigorous, and very productive with low susceptibility to bacterial spot. This productive, excellent flavored peach is only suggested for home orchard plantings.

**Flamin Fury® PF Lucky 24 B** – A large, globose to slightly ovate, 60-80% crimson red over a greenish yellow groundcolor, yellow-fleshed, freestone peach ripening August 20-23, approximately 26 days after Redhaven. The flesh is firm, with good flavor. The tree is vigorous, spreading, and very productive with low susceptibility to bacterial spot. The fruit hangs on the tree very well and may have a tendency to be picked too early before it reaches its full color and size.

**Gloria™ NJ 351** – A large, globose to slightly ovate, 60%-90% scarlet red over orange yellow groundcolor, yellow-fleshed, freestone peach ripening from August 21-24, approximately 27 days after Redhaven. The flesh is very firm with low acid and good flavor. The tree is vigorous and very productive with low susceptibility to bacterial spot. A unique variety because of its very attractive color, low acidity and very firm flesh.

**Flamin Fury® PF#25** – A large, globose to slightly ovate, 30-70% crimson red over yellowish green groundcolor, yellow-fleshed, freestone peach, ripening August 22-25, approximately 28 days after Redhaven. The flesh is firm with very good flavor. The tree is vigorous and productive, with medium susceptibility to bacterial spot. The size and color on this variety have been quite variable.

**Cresthaven** – A large, globose, 40-60% scarlet red over a greenish yellow groundcolor, yellow-fleshed, freestone peach, ripening August 23-26, approximately 29 days after Redhaven. The flesh is firm with very good flavor. The tree is of medium vigor, spreading, and productive, with medium susceptibility to bacterial spot. The performance of this variety is quite variable depending on source of nursery stock and environmental factors.

**Messina™ NJ 352 – (PICTURED FRONT CENTER)** A large to very large, 80-90% scarlet red over a yellow groundcolor, yellow-fleshed, freestone peach ripening August 24-27, approximately 30 days after Redhaven. The flesh is firm to very firm with very good flavor. The tree is vigorous, moderately productive with low susceptibility to bacterial spot. This new attractive variety has excellent size and color.

**Jerseyqueen** – A very large, oblong to ovate, 55-65% scarlet red over a yellow groundcolor; yellow-fleshed, freestone peach, ripening August 25-28, approximately 31 days after Redhaven. The flesh is firm with very good flavor. The tree is very vigorous and moderately productive, with moderate susceptibility to bacterial spot. The variety is not fully productive on many peach sites and has propensity to produce doubles.

**Flamin Fury® PF#27A** – A large to very large, globose to ovate, 60-70% crimson red over a greenish yellow groundcolor, yellow-fleshed, freestone peach, ripening August 25-28, approximately 31 days after Redhaven. The flesh is firm with very good flavor. The tree is vigorous and productive, with medium susceptibility to bacterial spot. A attractive variety in this season.

**Jerseyglo** – A medium-large to large, globose, 60-70% scarlet red greenish yellow groundcolor, yellow-fleshed, freestone

peach, ripening from August 26-29, approximately 32 days after Redhaven. The flesh is firm with good flavor. The tree is vigorous and productive, with medium susceptibility to bacterial spot.

**Fayette** – A large, globose, 70-80% crimson red with greenish yellow groundcolor, freestone peach ripening August 27-30, approximately 33 days after Redhaven. The flesh is firm to very firm with very good flavor. The tree is vigorous and moderately productive, with high susceptibility to bacterial spot.

## September Maturity

COLOR RATINGS ARE QUITE VARIABLE ON PEACHES  
RIPENING AFTER SEPTEMBER 1.

**Encore** – A large, globose to ovate, 50-70% crimson red with greenish yellow groundcolor, yellow-fleshed, freestone peach ripening August 29 to September 2, approximately 35 days after Redhaven. The flesh is firm with good quality. The tree is vigorous, upright, and very productive, with medium susceptibility to bacterial spot. This is the latest variety suggested for home orchard plantings.

**Flame Prince** – A medium-large, firm, 50-70 % crimson red over a yellow groundcolor, yellow-fleshed, freestone peach ripening September 2-5, approximately 38 days after Redhaven. The flesh is firm to very firm with very good flavor. The tree is moderately vigorous, productive with medium susceptibility to bacterial spot. This peach is not quite as large as other peaches ripening in this season.

**Autumn Star** – A large, globose to slightly ovate, 60-80% crimson red over a yellowish green groundcolor, yellow-fleshed, freestone peach ripening September 4-7, approximately 40 days after Redhaven. The flesh is firm with good flavor. The tree is vigorous, and productive with low susceptibility to bacterial spot. The performance of this variety has been variable from year to year.

**Lauro** – A very large, globose, 60-70% crimson-red with a greenish yellow groundcolor, yellow-fleshed, freestone peach ripening from September 5-8, approximately 41 days after Redhaven. The flesh is firm with very good flavor. The tree is vigorous and productive, with high susceptibility to bacterial spot.

**Flamin Fury® PF 28-007** – A large to very large, globose to ovate, 50-80% crimson red over greenish yellow groundcolor, yellow-fleshed, freestone ripening September 8-11, approximately 44 days after Redhaven. The flesh is firm to very firm with very good flavor. The tree is vigorous, and productive with low susceptibility to bacterial spot. This is an attractive late season variety with great size and color

**Victoria™ NJ 353** – A large, globose to ovate, 40-50% scarlet red color over yellow groundcolor, yellow-fleshed, freestone peach ripening from September 11-14, approximately 47 days after Redhaven. The flesh is firm to very firm, and with excellent flavor. The tree is vigorous, spreading, and productive, with low susceptibility to bacterial spot. This variety is an attractive peach with less red color, but good retention of firmness and excellent late season flavor.

**Big Red** – A very large, 20-30% crimson red with a yellowish-green groundcolor, yellow-fleshed, freestone peach ripening

from September 13-16, approximately 49 days after Redhaven. The flesh is very firm with very good quality. The tree is vigorous and moderately to lightly productive, with high susceptibility to bacterial spot. This variety is not productive every year.

**Parade** – A large, globose, 20-50% red over yellow-green groundcolor, yellow-fleshed, freestone peach ripening from September 15-18, approximately 51 days after Redhaven. The flesh is firm to very firm with good flavor. The tree is vigorous and moderately productive, with medium susceptibility to bacterial spot. The latest decent quality peach.

# Yellow-Fleshed Peach Varieties for New Jersey

Fact Sheet 1072

## Comparison Chart of Yellow-Fleshed Peach Varieties with all Peach Varieties

Ripening Date in Southern NJ	Best Peach Cultivars	Best Nectarine Cultivars	Promising Peach Cultivars for Trial	Promising Nectarine Cultivars
June 30 to July 5	Flamin' Fury PF5B, NJ 350, Spring Flame, Sunbrite	Mayfire	Empress, Queencrest, Spring Prince, Spring Snow (W), Manon (W)	
July 6 to July 12	Sugar May (W), Harrow Diamond	ArticStar(W)	Harrow Dawn, Ruby Prince, Scarlet Pearl (W)	Jade (W)
July 13 to July 19	Flamin' Fury PF 7, Glenglo, Harrow Dawn, Sentry, Summer Serenade	Easternglo, Arctic Sweet (W), Arctic Glo (W)	Vulcan, NJ F 18, Southern Pearl(W)	Honeykist, NJN 100
July 20 to July 26	Flavorcrest, GaLa	Harblaze	Flamin' Fury PF10, Saturn (W), SnowBride (W), Vinegold, NJF 15	Honeyblaze
July 27 to August 3	Early Loring, Flamin' Fury PF15A, Flamin' Fury Lucky 13, John Boy, Late Sunhaven, Redhaven, White Lady (W), Flamin' Fury PF Lucky 12	Harflame, Summer Beaut	Blazing Star, Flamin' Fury PF Jersey 14, NJF 16, Galaxy (W), Redstar, Salem, Starfire, Snow Beauty (W)	Flamin' Fury PF11, Crimson Snow (W)
August 4 to August 10	Blaze Prince, Bounty, Coralstar, Flamin' Fury PF17, Harrow Beauty, Klondike (W), Salem	Artic Jay (W), Flavortop, Sunglo	Harrow Fair, Flamin' Fury PF19-007, Flamin' Fury PF20-007, NJ F 17 (W)	Arctic Belle (W), Emeraude (W)
August 11 to August 18	Allstar, Contender, Flamin' Fury PF23, Flamin' Fury, PF24-007, Loring	Redgold	Carolina Belle (W), Glowingstar, Redkist, Scarlet Prince, Suncrest, Blushingstar (W)	Jolly Red Giant
August 19 to August 26	Cresthaven, Flamin' Fury PF Lucky 24B, Flamin' Fury PF25, NJ 351, 352	Fantasia	Sugar Giant (W), Opale (W), Snowfire (W), Benedicte (W)	Arctic Gold (W)
August 27 to September 3	Fayette, Flamin' Fury PF27A, Jerseyglo, Jerseyqueen, Redskin		Lady Nancy (W), SnowKing (W)	Stark Ovation, Zephyr (W), Topaze (W)
September 3 to September 10	Autumnglo, Encore, Flameprince, Laurel		Autumn Star, Flamin' Fury PF 28-007, Snow Giant (W), Yukon King (W)	Arctic Pride (W)
September 10 and Later	NJ 353, Parade		Big Red (CVN#3)	

See Table 11.1 in "Tree Fruit Pests and Controls" in the New Jersey Tree Fruit Production Guide for bacterial spot ratings.

(W) Indicates White-Fleshed.

*For a comprehensive list of our publications visit [www.njaes.rutgers.edu](http://www.njaes.rutgers.edu).*

Cooperating Agencies: Rutgers, The State University of New Jersey, U.S. Department of Agriculture, and County Boards of Chosen Freeholders. Rutgers Cooperative Extension, a unit of the Rutgers New Jersey Agricultural Experiment Station, is an equal opportunity program provider and employer.